


DRINKING FOUNTAINS AND BOTTLE FILLERS


	Page
Wall Mounted Drinking Fountain.....	38
Shrouded Wall Mounted Drinking Fountain.....	38
Wall Mounted Bottle Filler	39
Shrouded Wall Mounted Bottle Filler.....	39
Adult Height Drinking Fountain and Bottle Filler	40
Foot Operated Drinking Fountain and Bottle Filler.....	40
Adult Height Floor Standing Drinking Fountain	41
Pillar Bottle Filler.....	41
Foot Operated Pillar Bottle Filler	42
Adult Height Floor Standing Bottle Filler	42
Wall Mounted Drinking Fountain and Bottle Filler.....	43
Shrouded Wall Mounted Drinking Fountain and Bottle Filler	43
Recessed Slimline Bottle Filler	44
Surface Mounted Bottle Filler	44
Recessed Drinking Fountain.....	45
Recessed Bottle Filler.....	45
DDA Wall Mounted Water Cooler.....	46
Remote Chiller Unit.....	46
Wall Mounted DDA Water Cooler and Bottle Filler.....	47
Wall Mounted Bottle Filler	47
Pedestal Drinking Fountain.....	48
Wall Mounted Multiple Bottle Filler.....	48
Bottle Filling Trough.....	49
Bottle Filling Trough With Frame	49
Drinking Fountain and Bottle Filler Accessories.....	50
Drinking Fountain and Bottle Filler Accessories.....	51

DF461-WRAS WALL MOUNTED DRINKING FOUNTAIN




- Grade 304 stainless steel, 1.6mm thick
- WRAS approved drinking water bubbler tap
- Concealed wall mounting bracket
- Can be mounted at any height
- Rounded front for safety
- 32mm flush grated waste fitting
- 75mm upstand
- Optional 32mm plastic or chrome plated brass bottle traps
- Optional bottle filling spout
- Optional colour coated finish
- In stock 1 to 2 working days

DF462-WRAS SHROUDED WALL MOUNTED DRINKING FOUNTAIN




- Grade 304 stainless steel, 1.6mm thick
- WRAS approved drinking water bubbler tap
- Integral pipework shroud with concealed wall mounting bracket
- Can be mounted at any height
- Rounded front for safety
- 32mm flush grated waste fitting
- 75mm upstand
- Optional 32mm plastic or chrome plated brass bottle traps
- Optional bottle filling spout
- In stock 1 to 2 working days

BF463 WALL MOUNTED BOTTLE FILLER




- Grade 304 stainless steel, 1.6mm thick
- WRAS approved swan neck bottle filling spout
- Concealed wall mounting bracket
- Can be mounted at any height
- Rounded front for safety
- 32mm flush grated waste fitting
- 75mm upstand
- Optional 32mm plastic or chrome plated brass bottle traps
- Optional drinking water bubbler tap
- In stock 1 to 2 working days

BF464 SHROUDED WALL MOUNTED BOTTLE FILLER




- Grade 304 stainless steel, 1.6mm thick
- WRAS approved swan neck bottle filling spout
- Integral pipework shroud with concealed wall mounting bracket
- Can be mounted at any height
- Rounded front for safety
- 32mm flush grated waste fitting
- 75mm upstand
- Optional 32mm plastic or chrome plated brass bottle traps
- Optional drinking water bubbler tap
- In stock 1 to 2 working days

DF453 ADULT HEIGHT DRINKING FOUNTAIN AND BOTTLE FILLER




- Grade 304 stainless steel, 1.2mm thick
- WRAS approved drinking water bubbler tap
- WRAS approved bottle filling tap
- Drinking fountain bowl with anti-drip edges
- Floor and back wall fixing points
- Rear access for connection to services with lockable side access panel
- Rounded corners for safety
- Adult height with junior 760mm height model also available
- 32mm flush grated waste fittings with flexible connectors
- In stock 1 to 2 working days

BF904 FOOT OPERATED ADULT HEIGHT DRINKING FOUNTAIN AND BOTTLE FILLER




- Grade 304 stainless steel, 1.2mm thick
- Foot operated WRAS approved water bubbler tap
- Foot operated WRAS approved bottle filling spout
- Drinking fountain bowl with anti-drip edges
- Floor and back wall fixing points
- Rear access for connection to services with lockable side access panel
- Rounded corners for safety
- Adult height with junior 760mm height model also available
- 32mm flush grated waste fittings with flexible connectors
- In stock 1 to 2 working days

DF471-WRAS ADULT HEIGHT FLOOR STANDING DRINKING FOUNTAIN




- Grade 304 stainless steel, 1.6mm thick
- WRAS approved drinking water bubbler tap
- Floor standing model with concealed wall mounting brackets
- Adult height with junior 760mm height also available
- Rounded front shroud for safety
- 32mm flush grated waste fitting
- 75mm upstand
- Optional 32mm plastic bottle traps
- Optional bottle filling spout
- stock 1 to 2 working days

BF906 PILLAR BOTTLE FILLER





- Grade 304 stainless steel, 1.2mm thick
- WRAS approved press button valve and water fittings
- Free standing model with option to attach to rear wall
- Rounded corners for safety
- 32mm flush grated waste fitting with flexible water connection
- Side lockable access door
- Removable rear access panel for conversion to wall fixing
- In stock 1 to 2 working days

BF907 FOOT OPERATED PILLAR BOTTLE FILLER




- Grade 304 stainless steel, 1.6mm thick
- WRAS approved foot valve and water fittings
- Free standing model with option to attach to rear wall
- Rounded corners for safety
- 32mm flush grated waste fitting with flexible water connection
- Side lockable access door
- Removable rear access panel for conversion to wall fixing
- In stock 1 to 2 working days

BF473 ADULT HEIGHT FLOOR STANDING BOTTLE FILLER




- Grade 304 stainless steel, 1.6mm thick
- WRAS approved swan neck bottle filling spout
- Floor standing model with concealed wall mounting brackets
- Adult height with 760mm junior height also available
- Rounded front shroud for safety
- 32mm flush grated waste fitting
- 75mm upstand
- Optional 32mm plastic bottle traps
- Optional drinking water bubbler tap
- In stock 1 to 2 working days

DFBF461-WRAS WALL MOUNTED DRINKING FOUNTAIN AND BOTTLE FILLER



- Grade 304 stainless steel, 1.6mm thick
- Drinking water and bottle filling from one unit
- WRAS approved drinking water bubbler tap and swan neck bottle filler spout
- Concealed wall mounting bracket
- Can be mounted at any height
- Rounded front for safety
- 32mm flush grated waste fitting
- 75mm upstand
- Optional 32mm plastic or chrome plated brass bottle traps
- In stock 1 to 2 working days

DFBF462-WRAS SHROUDED WALL MOUNTED DRINKING FOUNTAIN AND BOTTLE FILLER



- Grade 304 stainless steel, 1.6mm thick
- Drinking water and bottle filling from one unit
- WRAS approved drinking water bubbler tap and swan neck bottle filler spout
- Integral pipework shroud with concealed wall mounting bracket
- Can be mounted at any height
- Rounded front for safety
- 32mm flush grated waste fitting
- 75mm upstand
- Optional 32mm plastic or chrome plated brass bottle traps
- In stock 1 to 2 working days

BF902 RECESSED SLIMLINE BOTTLE FILLER





- Grade 304 stainless steel, 1.2mm thick
- WRAS approved press button water valve, bottle filling spout and pipework
- 15mm water connection
- Hidden keyhole fixing with bottom securing lugs
- Can be mounted at any height
- Edges shaped for safety
- 32mm flush grated waste fitting
- Flexible waste connection pipe
- Space saving design
- In stock 1 to 2 working days

BF900 SURFACE MOUNTED BOTTLE FILLER





- Grade 304 stainless steel, 1.2mm thick
- WRAS approved press button water valve, bottle filling spout and pipework
- 15mm water connection
- Hidden keyhole fixing with bottom securing lugs
- Can be mounted at any height
- Edges shaped for safety
- 32mm flush grated waste fitting
- Flexible waste connection pipe
- Ideal for areas without a recess wall
- In stock 1 to 2 working days

DF485 RECESSED DRINKING FOUNTAIN




- Grade 304 stainless steel, 1.2mm thick
- Front press button drinking water bubbler tap
- Large drinking aperture
- Fully concealed pipework
- Pre-plumbed with Y strainer and flow adjuster
- Hidden fixings
- Can be mounted at any height
- 32mm flush grated waste fitting
- Galvanised steel frame
- Manufactured to order 12 to 14 working weeks

BF486 RECESSED BOTTLE FILLER




- Grade 304 stainless steel, 1.2mm thick
- Front press button, rear mounted bottle filler
- Large bottle filling aperture
- Fully concealed pipework
- Pre-plumbed with Y strainer and flow adjuster
- Hidden fixings
- Can be mounted at any height
- 32mm flush grated waste fitting
- Galvanised steel frame
- Manufactured to order 12 to 14 working weeks

AQ-A171408F-220V DDA WALL MOUNTED WATER COOLER




- Grade 304 stainless steel top and shroud
- Easy push anti-microbial front button and bubbler tap
- CE marked
- Provides 30 litres of chilled water per hour (26.7°C to 10°C)
- Pre-plumbed with Y strainer and flow adjuster
- DDA compliant when mounted at correct height
- 32mm flush grated waste fitting, 220V power supply lead
- Galvanised steel frame
- Optional swan neck bottle filling spout
- In stock 2 to 3 working days

AQ-A9100080-220V REMOTE CHILLER UNIT




- Galvanised steel case
- Ideal for supplying chilled water to existing drinking water products
- CE marked
- Provides 30 litres of chilled water per hour (26.7°C to 10°C)
- Can be sited up to 2100mm from the required water outlet
- 220v mains power supply required
- Requires connecting to main power supply
- Requires connecting to water inlet supply
- Requires connection to your water outlet
- In stock 2 to 3 working days

AQ-BF11 WALL MOUNTED DDA WATER COOLER AND BOTTLE FILLER




- Murdock press button operated wall mounted bottle filling station
- Requires 6 x AA batteries
- Grade 304 stainless steel and ABS plastic with anti-microbial coating
- Laminar flow outlet to reduce splashing and 4.5 litre per minute flow rate
- 8-10 second maximum run time
- Hinged face plate for ease of maintenance
- 38mm waste fitting and trap designed for through wall water supplies
- Supplied with a DDA water cooler - mains operated
- In stock 2 to 3 working days

AQ-BF18 WALL MOUNTED BOTTLE FILLER




- Press button operated wall mounted bottle filling station
- WRAS approved water fittings
- Grade 304 stainless steel and ABS plastic with anti-microbial coating
- Laminar flow outlet to reduce splashing and 4.5 litre per minute flow rate
- On / off operation to conserve water
- Hinged face plate for ease of maintenance
- 38mm waste fitting and trap
- Designed for through wall water supplies
- In stock 1 to 2 working days

DF481-WRAS PEDESTAL DRINKING FOUNTAIN




- Grade 304 stainless steel, 1.6mm thick
- WRAS approved drinking water bubbler tap
- Pedestal model with floor fixing plate
- Adult height
- Rounded design for safety
- 32mm flush grated waste fitting
- Removable access panel
- Optional 32mm plastic bottle traps
- Optional bottle filling tap
- In stock 1 to 2 working days

BF489 WALL MOUNTED MULTIPLE BOTTLE FILLER




- Wall mounted bottle filling station with 3 bottle filling taps
- Grade 304 stainless steel, 1.2mm thick
- 1000mm long
- Wall fixing points
- WRAS approved time flow bottle filling spouts
- Hinged base plate for ease of maintenance
- Central 32mm flush grated waste fitting
- Other sizes available to order
- Optional plastic or chrome bottle traps
- In stock 1 to 2 working days

BF910 BOTTLE FILLING TROUGH



- Grade 304 stainless steel
- 4 standard lengths 1200mm | 1500mm | 1800mm | 2400mm
- Available with 2, 3 and 4 WRAS approved swan neck bottle filling taps 262mm high
- Centre 38mm flush grated waste fitting
- 75mm rear upstand
- Optional front support legs
- Optional plastic or chrome bottle trap
- Optional heavy duty swan neck bottle filler taps
- In stock 2 to 3 working days

BF910 BOTTLE FILLING TROUGH WITH FRAME



- Grade 304 stainless steel
- 4 standard lengths 1200mm | 1500mm | 1800mm | 2400mm
- 850mm high frame with shelf
- Available with 2, 3 and 4 WRAS approved swan neck bottle filling taps 262mm high
- Centre 38mm flush grated waste fitting
- 75mm rear upstand
- Optional front support legs
- Optional plastic or chrome bottle trap
- Optional heavy duty swan neck bottle filler taps
- In stock 2 to 3 working days

BUBBLER - DRINKING FOUNTAIN BUBBLER TAP



- WRAS approved drinking water bubbler tap
- 1/2" connection
- Chrome plated brass
- In stock 1 to 2 working days

BOTTLEFILLER - SWAN NECK BOTTLE FILLER TAP



- WRAS approved swan neck bottle filler spout
- 1/2" connection
- Chrome plated brass
- In stock 1 to 2 working days

RUB-CARTRIDGE CARTRIDGE WRAS APPROVED



- Replacement drinking fountain button and cartridge
- For the WRAS approved bubblers and bottle fillers
- Chrome plated brass
- In stock 1 to 2 working days

1.25FGPLAS-3 DRINKING FOUNTAIN WASTE



- Replacement drinking fountain waste fitting
- 32mm flush grated
- Plastic body with stainless steel grating
- In stock 1 to 2 working days

FOOT-BUBBLER NO TOUCH DRINKING WATER BUBBLER



- No touch drinking water bubbler tap
- ½" connection
- Requires separate foot / knee valve
- In stock 1 to 2 working days

NSF-CARTRIDGE CARTRIDGE NSF APPROVED




- Replacement drinking fountain tap cartridge
- For the NSF approved bubbler taps
- Plastic
- In stock 1 to 2 working days

NSF-SERVICEKIT SERVICE KIT FOR NSF BUBBLERS



- Service kit for NSF bubbler taps
- Includes cartridge, retaining nut, button, button retaining nut, nozzle and o' ring
- Chrome plated brass fittings and plastic cartridge
- In stock 1 to 2 working days

NSF-FITTINGSKIT FITTINGS KIT FOR NSF BUBBLERS




- Fittings kit for NSF bubblers
- Includes button, button retaining nut, nozzle and o' ring
- Chrome plated brass
- In stock 1 to 2 working days

OUTDOOR DRINKING FOUNTAINS AND BOTTLE FILLERS


	Page
Stainless Steel Free Standing Bottle Filler	53
Green Free Standing Bottle Filler	54
Stainless Steel Wall Mounted Bottle Filler	55
Green Wall Mounted Drinking Fountain	56
Green Free Standing Drinking Fountain	56
Green Free Standing Bi-level Drinking Fountain	57
Green Free Standing Tri-level Drinking Fountain	57
Green Free Standing Bottle Filler and Drinking Fountain	58
Green Free Standing Bottle Filler and Bi-level Drinking Fountain	58
Concrete Free Standing Drinking Fountain	59
Round Drinking Fountain with Bottle Filler	59
Square Drinking Fountain with Bottle Filler	60
Information	60

MOBFM4 STAINLESS STEEL FREE STANDING OUTDOOR BOTTLE FILLER




- Heavy gauge grade 304 stainless steel construction, 2mm thick
- Satin polished finish
- Press button operation (requires 6 x AA batteries)
- Floor fixing flange
- Access cover with security screws
- Optional in-ground anchor plate
- Optional grade 316 stainless steel (12 to 16 weeks)
- Also available in green (from stock), red, blue or special colours (12 to 14 weeks)
- In stock 2 to 3 working days

MOBFM5 GREEN FREE STANDING OUTDOOR BOTTLE FILLER




- Heavy gauge grade 304 stainless steel construction, 2mm thick
- Green powder coated finish
- Press button operation (requires 6 x AA batteries)
- Floor fixing flange
- Access cover with security screws
- Optional in-ground anchor plate
- Also available in stainless steel (from stock), red, blue or customer specified colours (12 to 14 weeks)
- In stock 2 to 3 working days

MOBA4MO STAINLESS STEEL WALL MOUNTED OUTDOOR BOTTLE FILLER




- Heavy gauge grade 304 stainless steel construction, 2mm thick
- Press button operation (requires 6 x AA batteries)
- Heavy duty wall mounting plate
- Access cover with security screws
- Designed for through wall water supply and waste
- DDA compliant when installed at the correct height
- Also available grade 316 stainless steel, green, red, blue or customer specified colours
- Manufactured to order 12 to 14 working weeks

GRC75 GREEN WALL MOUNTED OUTDOOR DRINKING FOUNTAIN




- Heavy gauge grade 304 stainless steel support arm, 2mm thick
- Stainless steel grade 304 polished bowl, 1.2mm thick
- Green powder coated finish
- Press button operation (requires 6 x AA batteries)
- Heavy duty wall mounting plate
- Can be mounted at any height to suit all age groups
- Polished stainless steel drinking water bubbler tap
- Through wall water and waste supply
- Also available in stainless steel, red, blue or customer specified colours (12 to 14 weeks)
- In stock 2 to 3 working days (green only)

GRF35 GREEN FREE STANDING OUTDOOR DRINKING FOUNTAIN




- Heavy gauge grade 304 stainless steel pedestal, 2mm thick
- Stainless steel grade 304 polished bowl, 1.2mm thick
- Green powder coated finish
- Press button operation (requires 6 x AA batteries)
- Polished stainless steel drinking water bubbler tap
- Access cover with security screws, complete with floor fixing bolts
- Optional in-ground anchor plate
- Also available in stainless steel, red, blue or customer specified colours
- Manufactured to order 12 to 14 working weeks

GRM45 GREEN FREE STANDING BI-LEVEL OUTDOOR DRINKING FOUNTAIN




- Heavy gauge grade 304 stainless steel pedestal, 2mm thick
- Stainless steel grade 304 polished bowls, 1.2mm thick
- Green powder coated finish
- Suitable for use by adults, juniors and wheelchair users
- Press button operation (requires 6 x AA batteries)
- Polished stainless steel drinking water bubblers taps
- Access cover with security screws
- Vandal resistant bottom plate with floor fixing bolts
- Also available in stainless steel, red, blue or customer specified colours (12 to 14 weeks)
- In stock 2 to 3 working days (green only)

GRQ45 GREEN FREE STANDING TRI-LEVEL OUTDOOR DRINKING FOUNTAIN




- Heavy gauge grade 304 stainless steel pedestal, 2mm thick
- Stainless steel grade 304 polished bowls, 1.2mm thick
- Green powder coated finish
- Suitable for use by adults, juniors and wheelchair users
- Press button operation (requires 6 x AA batteries)
- Polished stainless steel drinking water bubblers taps
- Access cover with security screws
- Vandal resistant bottom plate with floor fixing bolts
- Also available in stainless steel, red, blue or customer specified colours
- Manufactured to order 12 to 14 working weeks

GYM75 GREEN FREE STANDING OUTDOOR BOTTLE FILLER AND DRINKING FOUNTAIN




- Heavy gauge grade 304 stainless steel pedestal, 2mm thick
- Stainless steel grade 304 polished bowl, 1.2mm thick
- Green powder coated finish
- Press button operation for polished stainless steel drinking water bubbler tap
- Requires 6 x AA batteries
- Integral bottle filler in the pedestal with press button self-closing valve
- Access cover with security screws, complete with floor fixing bolts
- Also available in stainless steel, red, blue or customer specified colours
- In stock 2 to 3 working days (green only)

GYQ85 GREEN FREE STANDING OUTDOOR BOTTLE FILLER AND BI-LEVEL DRINKING FOUNTAIN





- Heavy gauge grade 304 stainless steel pedestal, 2mm thick
- Stainless steel grade 304 polished bowls, 1.2mm thick
- Green powder coated finish
- Press button operation for polished stainless steel drinking water bubbler tap
- Requires 6 x AA batteries
- Integral bottle filler in the pedestal with press button self-closing valve
- Suitable for use by adults, juniors and wheelchair users
- Access cover with security screws, complete with floor fixing bolts
- Also available in stainless steel, red, blue or customer specified colours
- Manufactured to order 12 to 14 working weeks

GUF99 CONCRETE FREE STANDING OUTDOOR DRINKING FOUNTAIN




- Stainless steel grade 304 polished bowl, 1.2mm thick
- Reinforced brown aggregate concrete pedestal
- Press button operation (requires 6 x AA batteries)
- Polished stainless steel drinking water bubbler tap
- Access cover with security screws
- Complete with floor fixing bolts
- Optional in-ground anchor plate
- Available in tan – manufactured to order 12 to 14 weeks
- In stock 2 to 3 working days (brown only)

DF499 ROUND COMBINED DRINKING FOUNTAIN AND BOTTLE FILLER



- Stainless steel grade 304, 1.2mm thick
- Two 32mm flush grated waste fittings
- WRAS approved bubbler tap
- WRAS approved press button time flow bottle filling tap
- Flexible waste pipes (fittings are supplied loose for fitting on site)
- Floor fixing flange
- Removable side access door with security fixing screws (498mm x 186mm)
- Manufactured to order 15 to 20 working days

DF453 COMBINED DRINKING FOUNTAIN AND BOTTLE FILLER



- All outdoor water points should be drained down and isolated during freezing temperatures to prevent damage to pipework and valves.
- All outdoor water points should be cleaned daily to remove any contamination from the air and animals.
- The local Water Authority will be able to advise if they require any specific cleaning or sterilization of pipework.
- Please check with your local Water Authority for any approvals and regulations that will apply to install outdoor drinking fountains and bottle fillers.

- Grade 304 stainless steel, 1.2mm thick
- WRAS approved drinking water bubbler tap
- WRAS approved bottle filling tap
- Drinking fountain bowl with anti-drip edges
- Floor and back wall fixing points
- Rear access for connection to services with lockable side access panel
- Rounded corners for safety
- Adult height with junior 760mm height model also available
- 32mm flush grated waste fittings with flexible connectors
- In stock 1 to 2 working days